






PRODUCT PORTFOLIO
DECKING / FENCES / CLADDING



FOREST
BASIC COLOURS
embossed texture



profile	dimensions	standard length	custom length	weight
 137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm
 195 Max	195 × 22 mm	4 m	2 - 4 m	4.7 kg/lm
 140 Infnit	140 × 22 mm	4 m	2 - 6 m	3.4 kg/lm



NATUR
BASIC COLOURS
embossed wood texture






profile	dimensions	standard length	custom length	weight
 137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm



RUSTIC
BASIC COLOURS
finely scratched texture



profile	dimensions	standard length	custom length	weight
 137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm
 195 Max	195 × 22 mm	4 m	2 - 4 m	4.7 kg/lm
 140 Infnit	140 × 22 mm	4 m	2 - 6 m	3.4 kg/lm




SMOOTH
BASIC COLOURS
smooth texture





profile	dimensions	standard length	custom length	weight
 137 Classic	137 × 23 mm	4 m	2 - 6 m	3.4 kg/lm




GROOVE
BASIC COLOURS
grooved texture



profile	dimensions	standard length	custom length	weight
 137 Classic	137 × 23 mm	4 m	2 - 6 m	3.4 kg/lm
 195 Max	195 × 23 mm	4 m	2 - 4 m	4.8 kg/lm




FOREST
PLUS COLOURS
embossed texture



profile	dimensions	standard length	custom length	weight
137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm
140 Infnit	140 × 22 mm	4 m	2 - 6 m	3.4 kg/lm



NATUR
PLUS COLOURS
embossed wood texture



profile	dimensions	standard length	custom length	weight
137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm




RUSTIC
PLUS COLOURS
finely scratched texture



profile	dimensions	standard length	custom length	weight
137 Classic	137 × 22 mm	4 m	2 - 6 m	3.3 kg/lm
140 Infnit	140 × 22 mm	4 m	2 - 6 m	3.4 kg/lm




SMOOTH
PLUS COLOURS
smooth texture



profile	dimensions	standard length	custom length	weight
137 Classic	137 × 23 mm	4 m	2 - 6 m	3.4 kg/lm

ACCESSORIES

JOISTS




Dimensions	35 × 25 mm	40 × 40 mm	40 × 75 mm	50 × 30 mm	50 × 50 mm
Length	4 m	4 m	4 m	4 m / 3 m	4 m / 3 m
Material	aluminium	aluminium	aluminium	WPC	WPC
Laying	40 cm	60 cm	100 cm	15 cm	30 cm

CLIPS






**FENCES FOREST
BASIC COLOURS**



profile	dimensions	standard length	custom length	weight
	90 × 15 mm	–	1.3 – 3.6 m	1.65 kg/lm
	120 × 11 mm	–	1.3 – 3.6 m	1.65 kg/lm




**FENCES FOREST
PLUS COLOURS**



profile	dimensions	standard length	custom length	weight
	120 × 11 mm	3,6 m	1.3 – 3.6 m	1.65 kg/lm




**CLADDING FOREST
BASIC COLOURS**



profile	dimensions	standard length	weight
	150 × 14 mm	3.3 m	2.1 kg/lm

**FINISHING BOARDS
BASIC COLOURS**



profile	dimensions	texture	length	weight	
	small 70	70 × 16 mm	FOREST/SMOOTH	2 m	1.35 kg/lm
	medium 90	90 × 16 mm	FOREST/SMOOTH	2 m	1.7 kg/lm
	120	120 × 11 mm	FOREST/RUSTIC	3 m	1.65 kg/lm
	150	150 × 19 mm	FOREST/RUSTIC	4 m	3.4 kg/lm
	MAX 195	195 × 22 mm	FOREST	4 m	4.7 kg/lm

The composite material of the future TERAFEST®

We present composite wood from the Czech WPC manufacturer – WPC - WOODPLASTIC a.s. WPC material (so-called Woodplastic composite, Woodplastic or also composite wood) is made from a mixture of wood and HDPE polymer. Don't worry about your terrace. You better enjoy your free time with children or friends. Our boards require minimal maintenance. The Terafest® WPC boards with full (massive) profile resist rain, snow, frost and UV rays, they suffer no damage from pool chemicals or salt water and all they require for maintenance is occasional rinsing with water. We stand behind our terrace, that's why we put on it warranty up to 25 years.




I AM TERAFEST®

AND I BRING MORE
JOY TO YOUR LIFE



I AM EASY TO MAINTAIN AND I SAVE YOUR TIME

Just wash me with a power-washer once a year.



THEY WILL MAKE ME EXACTLY ACCORDING TO YOUR NEEDS

Choose me in the colour, width and length which suits you.



I AM SAFE

I am not slippery and do not form splinters.



I WILL BE INSTALLED BY PROFESSIONALS

I only work with certified and reliable installers.



MY VALUE IN TIME

You get me with a guarantee of up to 25 years.



I LOVE NATURE

I am eco-friendly and 100% recyclable.

Maturation of the wood component – during the first weeks or months after installation, depending on the intensity of sunlight, rainfall and the season, there is a maturation of colour in the surface of the deck boards. It is the leaching of lignin from the wood component in TERAFEST® material, which is a blend of wood (60%) and HDPE (40%). Lignin is a natural part of any type of wood. Due to leaching of tannin, which is caused by water and sunlight, in the first weeks or months, boards temporarily change their colour shade, usually to a yellowy tinge. This process over time, with exposure to sunlight and rain, will return to the original shade.

COLOUR MATURATION

	 	 INSTALLATION	 1 MONTH	 3 MONTHS	 25 YEARS
TEAK					
PALISANDER					
INOX					
EBEN					



Your certified installer:

 **WOODPLASTIC**

Manufacturer:
WPC – WOODPLASTIC a. s.
Bukovany 181, Týnec nad Sázavou
Czech republic
e-mail: info@woodplastic.eu
web: www.terafest.eu

