

## Declaration of Conformity

We, WPC – WOODPLASTIC a.s., with its registered office at V Celnici 1034/6, 110 00 Prague 1, hereby declare that the products listed below meet the requirements of the relevant legal regulations and technical standards valid in the EU and Czech Republic.

Product Name: **Facade profile TERAFEST®**

Product type: **50 BONE**

Weight: 2,4 kg/m,

Dimensions: 50 x 50 mm.

Declared standards:

This Declaration of Conformity is issued on the basis of Construction Technical Approval No. 010-049199 issued by the Authorized Body No. 204 Technical and Test Institute for Construction Prague according to the requirements specified in Annex No. 1 of Government Regulation No. 163/2002 Coll., as amended by Government Regulations No. 312/2005 Coll., 215/2016 Coll. and 119/2024 Coll. The assessment is carried out mainly according to the standards ČSN EN 15534-1+A1, ČSN EN 15534-5+A1, ČSN EN 13501-1 and ČSN 74 3305.

Terms of use:

The TERAFEST® 50 BONE facade profile is designed for external facade cladding, sunshade panels and railing and fence infill panels, considering long-term durability, lifespan, and safety when used in accordance with the installation instructions available at [www.terafest.eu](http://www.terafest.eu). According to fire safety requirements, it is classified according to ČSN EN 13501-1 as class E, Efl..

Responsibility:

We issue this Declaration of Conformity on behalf of the company and take full responsibility for the product's compliance with the standards.

In Bukovany, on the 17<sup>th</sup> of July 2025



**WPC - WOODPLASTIC a.s.**  
V Celnici 1034/6, 110 00 Praha 1  
Ing. Jiří Hegr Technologi  
IČO: 08920354 DIČ: CZ08920354